

NPS55-80-017

# NAVAL POSTGRADUATE SCHOOL

Monterey, California



EXPANDING AREA SEARCH EXPERIMENTS

by

Alan R. Washburn

May 1980

Approved for public release; distribution unlimited.

Prepared for:

Naval Postgraduate School  
Monterey, California 93940

FEDDOCS  
D 208.14/2:NPS-55-80-017

QA  
270  
W29

NAVAL POSTGRADUATE SCHOOL  
MONTEREY, CALIFORNIA

Rear Admiral J. J. Ekelund  
Superintendent

Jack R. Borsting  
Provost

Reproduction of all or part of this report is authorized.

This report was prepared by:

*[Handwritten signature]*

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS55-80-017	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Expanding Area Search Experiments	5. TYPE OF REPORT & PERIOD COVERED Technical	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) A. R. Washburn	8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940	12. REPORT DATE May 1980	
	13. NUMBER OF PAGES 18	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Expanding; Search; Moving		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The formula $1 - \exp(-(VW/\pi U^2)(1/\tau - 1/t))$ is often used to approximate the probability of detecting a target with speed $U$ by time $t$ if the search does not start until time $\tau$ and the searcher's speed and sweep width are $V$ and $W$ , respectively. This report shows some experimental evidence that the formula is an imperfect but reasonably good approximation to what actually happens when the target is evasive.		



# EXPANDING AREA SEARCH EXPERIMENTS

by

Alan R. Washburn

## Introduction.

With fast computers and new algorithms, it has recently become possible to optimize the distribution of effort when searching for a moving target, particularly if the target's motion is Markov [1,5,6]. There has also been some recent work on optimizing the search path (rather than the distribution of effort), but this problem seems to be inherently more difficult [3,4]. No general approach to the problem of searching for a target whose motion is worst case currently exists, either in the distribution of effort case or in the search path case. The lack of progress on the worst case problem should not be surprising in view of the general intractability of two person zero sum games; it is nonetheless unfortunate because many applications of search theory are to problems where the motivation of the target makes the worst case formulation natural.

In spite of the lack of general methods, certain specific two person zero sum search games have been solved or approximated. One of those that has been approximated is the problem of searching in an expanding area, which is the subject of this report. An Evader knows that he has been spotted at time 0, and proceeds to maneuver at speed  $U$  in order to evade the subsequent effort to (re)-detect him. The Pursuer must wait until time  $\tau$  before beginning to search, after which he searches until time  $t$  at speed  $V$  and sweep

width  $W$  (he has to come within  $W/2$  of the target) in an effort to detect the target. The classic example is the "flaming datum" problem in antisubmarine warfare. Coggins [2] gives the formula

$$(1) \quad p_d = 1 - \exp(-(VW/\pi U^2)(1/\tau - 1/t))$$

for the probability of detection in such a search. Briefly, (1) can be derived by reasoning that  $(VWdv)/(\pi U^2 v^2)$  is the ratio of (area searched in  $dv$ ) to (area of farthest-on circle) at time  $v$ , and is therefore the probability of detection in time  $dv$ . The average number of detections in the interval  $[0,t]$  is therefore

$$n(t) \equiv \int_{\tau}^t (VW dv)/(\pi U^2 v^2) = (VW/\pi U^2)(1/\tau - 1/t) \quad \text{for } t \geq \tau.$$

Assuming that detections in non-overlapping intervals are independent, the number of detections in  $[0,t]$  is a Poisson random variable, and the probability of no detections in  $[0,t]$  is therefore  $\exp(-n(t))$ . Formula (1) is then the probability that the number of detections in  $[0,t]$  is not 0. The main point of the above sketch of Coggins' derivation is that some assumptions are required to derive (1), one of which (independence in non-overlapping intervals) is questionable if searcher and target must each have a continuous path.

Furthermore, the derivation offers no clue to optimal tactics for either target or searcher, except perhaps that the searcher should search "randomly" so that the crucial independence assumption is satisfied.

Coggins derived (1) using the assumption that a random search was employed, in which case the type of motion used by the Evader is immaterial. Similarly, if the Evader could move in such a manner that his position was uniformly distributed over the farthest-on circle at all times and independent at closely spaced times, then (1) would hold regardless of the Pursuer motion; that is, (1) would be a saddle point if random search and random Evader motion of that type were feasible. Such strategies are not feasible. Nonetheless, given the typical insensitivity of payoff to strategy choice in the vicinity of a saddle point, (1) is at least somewhat plausible as an approximation to the value of the game.

Given the facts that (1) is commonly used and that its derivation is plausible but questionable, some validation effort seems warranted. An attempt to do this has been carried out at NPS over the last several years using officer-students as subjects in an electronic version of the game. The next section gives a complete description of the experiment, but a quick summary could be obtained by simply inspecting Figures 2-5, which show experimental vs theoretical (formula (1)) results for several combinations of parameters.



## The Experiment

Since there are two physical quantities involved (length and time), two of the five parameters can be set to convenient constants without loss of generality. Our choice was to set  $\tau = 10$  seconds and  $U = .024$  units/second in all trials; the definition of the length unit is immaterial in (1), but in fact a "unit" is about 5 inches in all experiments. In 60 seconds the farthest-on circle therefore has a radius of about 7.2 inches, which fills up the screen. The parameters  $V$  and  $W$  were then varied to obtain Figures 2-5, with  $0 \leq t \leq 60$  seconds in each figure. Capture time was recorded to the nearest second in Figures 2-3 and (when it was realized that greater accuracy was appropriate) to the nearest .1 second in Figures 4-5.

Figure 1 shows the experimental setup. Each subject sees his own position and the constantly expanding farthest-on circle displayed on a cathode ray tube, with his velocity being controlled by joystick up to the appropriate limit. In addition, the Pursuer sees a capture circle around his own position as a visual aid if he should decide to use a spiral track that makes the capture circle tangent to the farthest-on circle. The Pursuer starts at the center of the screen, and finds his joystick "dead" for the time  $\tau$ . In a few cases, in spite of being warned about what would happen,





Figure 1

the Evader (who also starts at the center of the screen), was less than  $W/2$  from the center of the screen by time  $\tau$ , in which case the capture time was recorded as  $\tau$ . If capture had not occurred by 60 seconds, the trial was terminated.

The subjects were officer-students enrolled in certain courses taught by the author over the period 1978-80. The differences in sample size in Figures 2-5 are due mainly to class size differences. The subjects typically played in pairs, spending half an hour in each role. The only instruction given to the subjects was to caution them about the obvious mistakes of not initially leaving the center on the part of the Evader or of searching outside the farthest-on circle on the part of the Pursuer; the idea was to determine what happens when tactics are whatever comes naturally. In spite of the simple nature of the game, some learning about tactics did take place. For example, one subject Pursuer made fruitless spiral sweeps several trials in a row before realizing that the Evader had stumbled on the strategy of returning to the center and staying there, which was of course reinforced when no detection occurred. This subject then realized that unpredictability is an important part of tactics and quit searching for the "optimal" track. While this sort of learning is of course good from a tutorial point of view, the reader should realize that Figures 2-5 include data from a wide variety of subjects, some "skilled" and some "unskilled."

The following points seem to characterize good Pursuer tactics in this game:

- 1) Stay inside the farthest-on circle. Any area covered outside is wasted.
- 2) Always go at top speed. The Evader is blind in any case, so there is no advantage to going slow.
- 3) Keep the radius of curvature large. The danger that a slow, blind Evader will slip into a recently covered area is small compared to the danger of wasting effort due to redundant coverage.

A Pursuer that followed 2) and 3) exactly would go in a straight line and therefore not follow 1). The three points are therefore in conflict, and resolution of the conflict is the art of playing the game for the Pursuer. Playing the Pursuer part is not trivial; an experiment with  $V = .384$  unit/second had to be rejected because most players could not follow 1) and 2) simultaneously in the vital seconds at the beginning of the game.

The following points seem to characterize good Evader tactics

- 1) Initially, pick a direction at random and go at top speed for a while. Take advantage of the time late.
- 2) Sometimes, stay on the farthest-on circle throughout the game. At other times pause occasionally in the process of fleeing.

It is vital that the Evader follow point 1), and important that the Evader not always be found on the farthest-on circle, since there is sufficient time in all cases for the Pursuer to sweep it. Otherwise, it does not seem to matter a whole lot what the Evader does. After the first few seconds, there are not many mistakes an Evader can make.

The fact that the game seems to punish unskilled Pursuers more than unskilled Evaders may explain why the experimental curve lies so far below theoretical in Figure 5. A Kolmogorov-Smirnov test at the .05 level would reject that curve but not the curves in Figures 2, 3, or 4. With this slim guidance, we leave the reader to come to his own conclusions about the validity of (1). Our own intention is to use it until something better comes along, at least in situations where the Evader knows when the search begins.



## REFERENCES

- [1] Brown, S.S. (1980), "Optimal Search for a Moving Target in Discrete Space and Time," to appear in Operations Research.
- [2] Coggins, Paul B. (1971), "Detection Probability Computations for Random Search of an Expanding Area," Committee on Undersea Warfare, National Research Council, National Academy of Sciences, 2101 Constitution Avenue, N.W., Washington, D.C. 20418
- [3] Lukka, M. (1977), "On the Optimal Searching Tracks for a Moving Target," SIAM J. Appl. Math. 32, 126-132
- [4] Stewart, T.J. (1979), "Search for a Moving Target When Searcher Motion is Restricted," Comput. and Ops. Res. 6, 129-140.
- [5] Stone, L.D., Brown, S.S., Buemi, R.P., and Hopkins, C.R. (1978), Numerical Optimization of Search for a Moving Target, Daniel H. Wagner, Associates Report to the Office of Naval Research.
- [6] Washburn, A. R. (1980), "On Search for a Moving Target," Naval Research Logistics Quarterly 27, no. 3.




Figure 2.






Figure 3.




Figure 4.




Figure 5.

INITIAL DISTRIBUTION LIST

	COPIES
Dean of Research Code 012 Naval Postgraduate School Monterey, California 93940	1
Defense Technical Information Center Cameron Station Alexandria, Virginia 22314	2
Library, Code 0142 Naval Postgraduate School Monterey, California 93940	2
Commanding Officer Air Test and Evaluation Squadron 1 (VX-1) Patuxent River, Maryland 20670	1
Commanding Officer Submarine Development Group Two Groton, Connecticut 06340	1
Director Strategic Systems Project Office 1931 Jefferson Davis Highway Arlington, Virginia 20376 Attn: Code SP2021	1
Naval Air Development Center Library Johnsville, Pennsylvania 18974	1
Center for Naval Analysis 1401 Wilson Boulevard Arlington, Virginia 22209	1
Naval Weapons Laboratory Dahlgren, Virginia 22448	1
Naval Weapons Center China Lake, California 93555	1
Naval Surface Weapons Center White Oak Silver Spring, Maryland 20910	1
Naval Research Laboratory Washington, D.C. 20390	1

David Taylor Naval Ship Research & Development Center Bethesda, Maryland 20034	1
Naval Ocean Systems Center San Diego, California 92132	1
Naval Intelligence Support Center 4301 Suitland Road Washington, D.C. 20390	1
Naval Electronics Systems Command 2511 Jefferson Davis Highway Arlington, Virginia 20360	1
Naval Underwater Systems Center Code SA33 New London, Connecticut 06320	1
Naval Underwater Systems Center New London, CT 06320	1
Naval Coastal Systems Laboratory Panama City, Florida 32401	1
Naval Air Systems Command Code 370 Washington, D.C. 20361	1
Naval Sea Systems Command Code 03424 Washington, D.C. 20362	1
Naval Underwater Systems Center Newport, Rhode Island 02840	1
Naval Ordnance Station Indian Head, Maryland 20640	1
Naval Surface Weapons Center Dahlgren, Virginia 22448	1
Anti-Submarine Warfare Systems Project Office Code ASW-137 Department of the Navy Washington, D.C. 20360	1
Office of Naval Research Code ONR-230 800 North Quincy Street Arlington, Virginia 22217	1

Office of Naval Research Code ONR-434 800 North Quincy Street Arlington, VA 22217	1
Daniel H. Wagner, Associates Station Square One Paoli, PA 19301	1
Tetra Tech, Inc. 1911 Fort Meyer Dr. Suite 601 Arlington, VA 22209	1
Systems Planning and Analysis 1600 Wilson Blvd. Suite 700 Arlington, VA 22209	1
ORI, Inc. 1400 Spring St. Silver Spring, MD 20910	1
EPL Analysis Suite 312, 3460 Olney-Latonsville Road, Olney, MD 20932	1
Prof. Stephen M. Pollock Dept. of Ind. and Oper. Eng. 231 West Engineering Bldg. University of Michigan Ann Arbor, MI 48109	1
Naval Postgraduate School Monterey, CA 93940 Attn: R. N. Forrest, Code 55Fo A. R. Washburn, Code 55Ws R. J. Stampfel, Code 55 Library, Code 55	1 10 1 1



QA  
270  
W29

Washburn

Expanding area search  
experiments.

187479

genQA 270.W29

Expanding area search experiments /



3 2768 000 42981 5

DUDLEY KNOX LIBRARY